


MOTORS WITH POWER UP TO 850 W

SLGS SERIES - Non reversible

WATT: 480 / CONSUMPTION: 870 NI/1'

Data sheet
SLGS7S



1. Cylindrical keyed shaft
2. Grip zone
3. Air inlet
4. Air exhaust

Technical specification

Left rotation - Model	SLGS7S
Left rotation - Code	8721199
Speed rpm - No-load	330
Speed rpm - at Max Power	110
Torque Nm - at Max Power	28,3
Torque Nm - Stall Torque	55,2

Form features

The normal delivery condition: cylindrical shaft and body as shown in the photo.

Optional:

Shaft

- threaded - indication /AF (left rotation excluded - subject to checks for reversible)



- conical - indication /AC

- with collets - indication / AP

Body

- with diamond flange coupling

Characteristic curves



MOTORS WITH POWER UP TO 850 W

SLGS SERIES - Non reversible

WATT: 480 / CONSUMPTION: 870 NI/1'


Data sheet
SLGS7S

Permissible radial and axial loads

Model	Code	Fr (N)	Fa (N)	Co (N)
SLGS7S	8721199	1000	1850	3750

Overall dimensions

Serie Non reversibili
Series **SLGS** Non-reversible
Serie Nicht umsteuerbar



Model	Code	A	B	C	D	F	G	H	I	L	M	N	O	P	Q	S
SLGS7S	8721199	168,5	51,5	40	42	36	13	3	5	M5	1/2"x20UNF	16	20,5	B12	21	ER16